Product family datasheet

OSRAM

SUPER RALLYE



Up to +50% more light for better visibility Compare with standard lamps



Up to 50% more light than standard lamps. OSRAM offers a bright and clear visual effect for drivers, make them fell more reliable.

Product family datasheet

Technical data

	Product inform	Product information			General Product Electrical		Data		
Product description		Application (Category and Product specific)		Global order reference		Power input	Nominal voltage		
SUPER RALLYE ≙ H1	Halogen head lamp	Halogen headlight lamp		62241		100 W ¹⁾ 24.0 V			
				Photometric Data			Physical Attributes & Dimensions		
Product description	Nominal watta	Nominal wattage		Nominal luminous flux		Luminous flux tolerance	Lamp base		
SUPER RALLYE ≜ H1	100 W	100 W		2600 lm		±15 %	P14.5s		S
							Life	etime D	ata
Product description	Length	Length		Diameter			Lifespan B3		Lifespan Tc
SUPER RALLYE ≜ H1	62.5 mm	62.5 mm 8		mm 8.5 mm			50 hr		200 hr
	Capabilities	Certifica & standar	Infor	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Product description	Technology	ology ECE category		•		claration no. in IP database			
SUPER RALLYE ≐ H1	HAL		4052	172130875 899523906 321675552	In work	(

¹⁾ Maximum

Product family datasheet

Download Data

 File

 Image: Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





人家







