

## SUPER BRIGHT PREMIUM / SUPER BRIGHT

Extra power for off-road use



### Extra power

For rescue services, construction and transport work, agriculture and forestry



### Excellent brightness

Even on the most difficult terrain



### Rugged and versatile

Solution for even the most unusual requirements



### The high-wattage off-road light with extra power

SUPER BRIGHT PREMIUM and SUPER BRIGHT are high-wattage off-road lamps with extra power. Those rugged and versatile lamps proved excellent brightness even on the most difficult terrain: rescue services, construction and transport work, agriculture and forestry. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

## Product family datasheet

### Technical data

Product description	Product information		General Product Information	Electrical Data	
	Application (Category and Product specific)	Product type (off-road vs. on-road)	Global order reference	Power input	Nominal voltage
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H1	Halogen headlight lamp	Off-road $\triangleq$ H1	62200SBP	93 W <sup>1)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H3	Halogen headlight lamp	Off-road $\triangleq$ H3	62201SBP	85 W <sup>2)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H4	Halogen headlight lamp	Off-road $\triangleq$ H4	62204SBP	100 / 80 W <sup>2)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H7	Halogen headlight lamp	Off-road $\triangleq$ H7	62261SBP	80 W <sup>2)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ HB3	Halogen headlight lamp	Off-road $\triangleq$ HB3	69005SBP	100 W <sup>2)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ HB4	Halogen headlight lamp	Off-road $\triangleq$ HB4	69006SBP	80 W <sup>2)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H1	Halogen headlight lamp	Off-road $\triangleq$ H1	64152SB	93 W <sup>2)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H3	Halogen headlight lamp	Off-road $\triangleq$ H3	64153SB	85 W <sup>2)</sup>	12.0 V
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H4	Halogen headlight lamp	Off-road $\triangleq$ H4	64194SB	109 / 85 W <sup>2)</sup>	12.0 V

Product description	Nominal wattage	Test voltage	Photometric Data		Physical Attributes & Dimensions
			Nominal luminous flux	Luminous flux tolerance	Diameter
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H1	100 W	13.2 V	2600 lm	$\pm 10$ %	8.5 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H3	100 W	13.2 V	2300 lm	$\pm 10$ %	11.0 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H4	100/90 W	13.2 V	2900/1700 lm	$\pm 15$ / $\pm 15$ %	17.0 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H7	80 W	13.2 V	1950 lm		12.0 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ HB3	100 W	13.2 V	1700 lm		12.0 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ HB4	80 W	13.2 V	1000 lm		12.0 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H1	100 W	13.2 V	2600 lm	$\pm 12$ %	9 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H3	100 W	13.2 V	2300 lm	$\pm 10$ %	12.0 mm
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangleq$ H4	100/90 W	13.2 V	2900/1500 lm	$\pm 15$ / $\pm 15$ %	17.0 mm

## Product family datasheet

Product description	Diameter	Lifetime Data		Capabilities	Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Lifespan B3	Lifespan Tc	Technology	ECE category	Primary article identifier
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H1	8.5 mm	50 hr	200 hr	HAL	-	4052899126282   4062172346528
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H3	11.0 mm	50 hr	200 hr	HAL	-	4050300839516   4062172343749   4052899126312
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H4	17.0 mm	45 / 100 hr	90 / 200 hr	HAL	-	4052899263659   4008321856357   4052899268906
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H7	12.0 mm	250 hr	500 hr	HAL	-	4008321856388
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ HB3	12.0 mm	280 hr	550 hr	HAL	-	4062172378178   4008321888174
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ HB4	12.0 mm	600 hr	1200 hr	HAL	-	4062172378192   4008321888228
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H1	9 mm	23 hr	50 hr	HAL	-	4050300222738
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H3	12.0 mm	23 hr	50 hr	HAL	-	4050300222837
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H4	17.0 mm	45 / 85 hr	85 / 170 hr	HAL	-	4050300225852

Product description	Candidate list substance 1	Declaration no. in SCIP database
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H1	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H3	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H4	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H7	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ HB3	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ HB4	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H1	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H3	No declarable substances contained	No declarable substances contained
SUPER BRIGHT PREMIUM / SUPER BRIGHT $\triangle$ H4		In work











<sup>1)</sup> Approximately

## Product family datasheet

<sup>2)</sup> Maximum

# Product family datasheet

## Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages SUPER BRIGHT PREMIUM H1 62200SBP
	ref_pim_amsproduct360degreeimages SUPER BRIGHT PREMIUM H3 62201SBP
	ref_pim_amsproduct360degreeimages SUPER BRIGHT PREMIUM H4 62204SBP
	ref_pim_amsproduct360degreeimages SUPER BRIGHT PREMIUM H7 62261SBP
	ref_pim_amsproduct360degreeimages SUPER BRIGHT PREMIUM HB3 69005SBP
	ref_pim_amsproduct360degreeimages SUPER BRIGHT PREMIUM HB4 69006SBP
	ref_pim_amsproduct360degreeimages SUPER BRIGHT H1 PX14.5S 64152SB
	ref_pim_amsproduct360degreeimages SUPER BRIGHT H3 PKY22S 64153SB
	ref_pim_amsproduct360degreeimages SUPER BRIGHT PU43T 64194SB

### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

