
## **OSRAM**

# LED interior lights

LED app controlled styling lights





## High brightness thanks to 90 LEDs per 1.5 m strip

I lluminate every corner of your car, commercial vehicle or caravan



## White light with color temperature up to 4500 K

Interior lighting for the vehicle roof, loading area, trunk or other cabinet lighting application



## Two flexible self-adhesive LED strips of 1.5 m

Easy to install with no soldering or use of screws





### LED color changing products

Using the LEDambient INTERIOR STRIP KIT, you can illuminate the interior of your vehicle in line with your personal taste. The kit allows you to arrange the two flexible, white LED strips according to your individual preference. Whether its the interior of a motorhome or a delivery truck, the LED light strips (each 1.5m long and with 90 LEDs) are perfect for cabin lighting, under-cabin lighting and other similar applications. The self-adhesive LED strips mean the LEDambient INTERIOR STRIP KIT is fast and easy to install — no need for soldering or screws. OSRAM provides a 2-year guarantee for this product. To read the exact guarantee conditions, please go to www.osram.com/am-guarantee. Please note: These products are not ECE-approved and must not be used on

### Product family datasheet

public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

## Product family datasheet

### Technical data

|                     | General Product<br>Information | Electrical Data  |                              | Photometric Data              |                          |
|---------------------|--------------------------------|--|------------------------------|-------------------------------|--------------------------|
| Product description | Global order reference         | Nominal wa   | -                            | Light color<br>LED            | Nominal luminous<br>flux |
| INTERIOR STRIP KIT  | LEDINT203                      | 12 W   |                              | White                         | 900 lm/strip lm          |
|                     |                                | Physical Att   | ributes & Din                | nensions                      |                          |
| Product description | Color temperature              | Height   | ,                            | Width                         | Length                   |
| INTERIOR STRIP KIT  | 4500 K                         | 4.0 mm <sup>1)</sup>   | 4.0 mm <sup>1)</sup> 8.00 mm |                               | 1500 mm                  |
|                     |                                | Lifetime<br>Data   | Capabilitie                  | s Certifica<br>standard       |                          |
| Product description | Product weight                 | Guarantee  | Technolog                    | y Standard                    | ds                       |
| INTERIOR STRIP KIT  | 120.00 g                       | 2 years  | LED                          | CE                            |                          |
|                     | Logistical data                | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) |                              |                               |                          |
| Product description | Commodity code                 | Primary article identifier   |                              | Candidate list<br>substance 1 | CAS No. of substance     |
| INTERIOR STRIP KIT  | 85122000900                    | 4052899516670  |                              | _ead                          | 7439-92-1                |

| Product description | Safe use instruction  | Declaration no. in SCIP database |
|---------------------|-----------------------|----------------------------------|
| INTERIOR STRIP KIT  | The identification of | 34b4cbbb-a426-                   |
|                     | the Candidate List    | 4198-bfd3-                       |
|                     | substance is          | cb266e5801d8                     |
|                     | sufficient to allow   |                                  |
|                     | safe use of the       |                                  |
|                     | article.              |                                  |

<sup>1) &</sup>lt;sub>N/A</sub>

### Product family datasheet

#### Download Data

File



User instruction

LEDambient INTERIOR STRIP KIT user manual



User instruction

GPRS\_Safety symbols instructions

### Legal advice

Detailed guarantee terms can be found at www.osram.com/am-guarantee. These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country. This product only works in combination with the respective base kit.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











