

LEDinspect POCKET PRO400

Inspectionlights




Multi-Angle Flex & Twist
High flexibility and diverse adjustment possibilities thanks to multi angle positioning



400 Lumen
Up to 400 lumens and integrated switch for dimming the light



2 in 1 Function
Inspection light & torch light combined in one



2-year-OSRAM guarantee*
Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality inspection light from OSRAM is designed to illuminate hard-to-reach areas. The POCKET PRO 400 combines a slim design with multi-axis rotation and tilting so that the light can be directed exactly where it is needed. Additionally, the flexible mounting options offer hands-free working. The pocket size with only 6mm depth and the low weight make this inspection light ideal for the workshop. This LED inspection light emits up to 400 lumens. It has a white light with up to 6000K for comfortable working conditions and is therefore designed for wide illumination as well as for the illumination of narrow spaces. The light intensity can be easily adjusted via the on/off switch. In

addition, the POCKET PRO 400 has a powerful torch for a concentrated beam of light. It is rechargeable and cordless, with Li-ion battery for constant light output. The lamp has an operating time of up to 3h and a recharging time of approx. 4h. Charging cable and mains plug included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

| | Product information | | General Product Information | Electrical Data | |
|---------------------|---|------------------------|--|--------------------------|--------------------------------------|
| Product description | Application (Category and Product specific) | | Global order reference | Nominal voltage | Nominal wattage |
| INSPECTION LAMP | LED inspection lights | | LEDIL409 | 3.7 V | 9 W |
| | Photometric Data | | | | Physical Attributes & Dimensions |
| Product description | Light color LED | Nominal luminous flux | Color temperature | | Height |
| INSPECTION LAMP | White | 400 lm | 6000 K | | 55.0 mm |
| | | | | | LED module information |
| Product description | Width | Length | Product weight | | Number of LEDs per module |
| INSPECTION LAMP | 100.0 mm | 215.0 mm | 206.00 g | | 2 |
| | Colors & materials | | Lifetime Data | Additional product data | |
| Product description | Base color | | Guarantee | Scope of battery | Number of included batteries |
| INSPECTION LAMP | Black / Orange | | 2 years | Yes | 1 |
| | | | Capabilities | Certificates & standards | Logistical data |
| Product description | Type of Battery | | Technology | IK Class | Watt hour per battery |
| INSPECTION LAMP | Rechargeable | | LED | IK06 | 5.00 |
| | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | | |
| Product description | Candidate list substance 1 | CAS No. of substance 1 | Safe use instruction | | Declaration no. in SCIP database |
| INSPECTION LAMP | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. | | bce4864c-75dc-487e-8eaf-2fa43e657f44 |

Download Data

| File | |
|---|---|
|  | User instruction LEDinspect POCKET PRO 400 |
|  | User instruction GPRS_Safety symbols instructions |
|  | Movie application LEDinspect Inspection Lights Trailer |

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.