### Product family datasheet

# OSRAM

# LEDinspect WIRE-FREE SLIM 600



Wire-Free charging compatible Simply place on the Wire-Free charging pad to securely hold and recharge



Slim design Easily place bright 600 Lumens white light where you need it most



Built to last IK08 and IP54 rated to survive the rigors of the professional workshop



#### The easiest way to recharge inspection lights

Inspection lights are a vital part of any professional's toolbox. Removing the need to find and plug into the correct charging cable, OSRAM's wire-free inspection lights recharge without hassle by simply being placed on the magnetic charging pad. This innovative design not only enhances convenience but also supports an uninterrupted workflow.

# Product family datasheet

#### Technical data

|                     | Product information |  | General Product<br>Information |  | Electrical Data  |                   |                          |  |
|---------------------|---------------------|--|--------------------------------|--|--|-------------------|--------------------------|--|
| Product description |                     | Application (Category<br>and Product specific) |                                | Global order<br>reference                              |  | ge                | Nominal wattage          |  |
| INSPECTION LAMP     | LED inspectio       | n lights                                       | LEDIL422                       |  | 3.7 V  |                   | 5 W                      |  |
|                     | Photometric I       | Data   |                                |  |  | Physica<br>Dimens | al Attributes &<br>sions |  |
| Product description | Light color<br>LED  | Nomina<br>flux                                 |                                |  | emperature Heigh   |                   |                          |  |
| INSPECTION LAMP     | White               | 600 lm   |                                | 5700 K   |  | 37.0 m            | 37.0 mm                  |  |
|                     |                     |  |                                |  |  |                   | Lifetime<br>Data         |  |
| Product description | Width               |  | Length                         |  | Product weigh  | nt                | Guarantee                |  |
| INSPECTION LAMP     | 43.0 mm             |  | 325.0 mm                       |  | 240.00 g   |                   | 2 years                  |  |
|                     | Capabilities        | Logisti  | cal data                       | Informa  | vironmental & Regulatory Information<br>formation according Art. 33 of EU<br>gulation (EC) 1907/2006 (REACh) |                   |                          |  |
| Product description | Technology          | Watt he  | our per battery                | per battery Candidate list CAS No. of su substance 1 1 |  | o. of substance   |                          |  |
| INSPECTION LAMP     | LED                 | 9.20   |                                | Lead   |  | 7439-9            | 02-1                     |  |

| Product description | Safe use instruction                     | Declaration no. in<br>SCIP database |
|---------------------|--|-------------------------------------|
| INSPECTION LAMP     | The identification of the Candidate List | 39eac002-3892-<br>45bc-922c-        |
|                     | substance is<br>sufficient to allow      | 294d6f9430fb                        |
|                     | safe use of the article.                 |                                     |

## Product family datasheet

#### Download Data

|   | File   |
|---|--|
| ★ | User instruction<br>LEDinspect WIRE-FREE SLIM 600    |
| ★ | User instruction<br>GPRS_Safety symbols instructions |

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.